

COLD MELT® SYSTEM

MASTIC ASPHALT AND HOT MELT REPLACEMENT









THE MODERN DAY ALTERNATIVE FOR MASTIC ASPHALT AND HOT MELT

Benefits

- 👂 No odour
- Cold-applied
- 👂 Seamless, monolithic bond
- 🗕 Elastomeric
- Incorporates recycled rubber crumb and other organically grown product ______
- Does not become brittle with age
- Cost-effective
- Fast to install
- Flexible solution around combusting high detail items such as plastic pipes, PVC windows & doors and awkward details etc.
- BBA certified for the life of the building
- Can be laid on a flat roof deck wih zero falls

Cold Melt[®] has it covered

The trademarked Cold Melt® liquid roof system incorporates recycled rubber crumb, castor oil and other organically grown products to create an elastomeric, seamless, cold applied membrane.

Durability – under normal service conditions and when fully protected, the system will provide a durable roof waterproofing for the design life of the roof in which it is incorporated.

It is purpose-made to be an integral component of green and brown roof systems and, with its unparalleled seamless coldapplied waterproof finish, is quick, simple and safe to apply.

The Cold Melt® system can include inverted roof insulation and, with or without insulation, can be designed as a paved, ballasted, green or brown roof. The membrane does not become brittle with age.

An Agrément Certificate relates to the Proteus Cold Melt® System for use as a waterproofing layer in inverted roofs and protected flat roofs, including zero pitched roofs.



No Odour


Cold Melt[®] exhibits no odour offering numerous benefits for both the installer and client due it being 100% solids



A wide range of inverted roof decks

Cold Melt[®] is a cold-applied two-part elastomeric waterproofing membrane that provides seamless roof protection.

- Concrete
- Asphalt
- Timber/Plywood



System build-up

- 1 Deck
- Pro-Prime[®] SA
- Pro-Carrier SA
- 4 Cold Melt®
- 5 Proteus Anti-Root Membrane
- ⁶ Proteus Pro-Therm XPS

The application

STEP 1

Apply Pro-Prime® SA

STEP 2

Install our self adhesive Pro-Carrier SA membrane, which provides systems with a high level of tensile strength, immediately waterproofing the structure (this can then be left for a period of time as a temporary waterproofing membrane)

STEP 3

Install Cold Melt[®], immediately providing the durable waterproof membrane

- 7 Proteus Cement Topped XPS
- 8 Proteus Low-K Water Reducing Layer
- Proteus Pro-Living® Drainage Layer
- Proteus Pro-Living® Filter Fleece
- Proteus Pro-Living® Pre-Cultivated Green Roof Covering
- 12 Washed Rounded Ballast
- 13 Proteus Pedestal
- 14 Hard Landscaping / Paving
- 15 Proteus Pro-Living® Drainage Trim
- ¹⁶ Metal Capping

STEP 4

Apply Cold $\operatorname{Melt}^{\scriptscriptstyle \otimes}\operatorname{UV}$ Top coat to all exposed upstands and details

BBA Cold Melt® Durability Statement

Under normal service conditions and when fully protected, the system will provide a durable roof for the design life of the roof in which it is incorporated.

NHBC Standards 2016

NHBC accepts the use of Proteus Cold Melt®



Manufactured in the UK and Europe, Proteus Waterproofing is one of the most innovative, fast growing companies in the waterproofing market. Proteus Waterproofing is a single source supplier, with an array of hot and cold-applied waterproofing and protection systems. The company's comprehensive product range is suitable for high performance roofing, balconies, walkways and car parks. It offers a vast range of systems, that have been engineered to meet the harshest of weather conditions and provide a lasting and robust waterproofing solution, in both refurbishments and new builds.

Experts in all forms of liquid applied and bituminous membrane roofing and waterproofing. Proteus Waterproofing is adaptable to each client's individual needs and circumstances, and offers longterm performance product reliability and a simple installation as standard.

Total Peace of Mind

Proteus Waterproofing roofing systems are tested to the most rigorous international standards, ensuring they will outperform the initial design life. This will give your project a durable, reliable and long-lasting waterproofing finish, that will last for many years to come, providing excellent value to clients and building owners.

Guaranteed Performance

Proteus Waterproofing presents clients with a robust choice of guarantees for its bespoke systems, from an offer that also incorporates enhanced independentlybacked warranties, for total peace of mind.

For further information, please contact Proteus Waterproofing to discuss the most suitable option to meet your requirements.



Proteus Industrial Technologies Ltd.

21a Sirdar Road, Brook Road Industrial Estate, Rayleigh, Essex SS6 7XF T: +44 (0) 1268 777871 F: +44 (0) 845 2991215

enquiries@proteuswaterproofing.co.uk www.proteuswaterproofing.co.uk

💟 @Proteus_UK

Registered Office: 21a Sirdar Road, Brook Road Industrial Estate, Rayleigh, Essex. SS6 7XF. Registered company number: 08258719.

Proteus' range of lasting and robust systems includes:

- Liquid-applied waterproofing: Proteus Pro-System[®] Plus
- Inverted roof waterproofing: Cold Mell®, Proteus Hot Mell®
- High performance felts: Proteus Pro-Felt[®], Ultima, Ultima Plus, Endura
- Balconies and walkways: Pro-BW[®]
- Car park decking systems: Deckmaster
- Coating protection: Pro-Cryl[®], Pro-Solar Reflect
- Exterior walls waterproofing: Monodex, Textured Monosil
- The Proteus Waterproofing Specification includes:
- On-going technical support
- Comprehensive guarantees
- Free roof evaluations service
- Roof condition surveys, reports and bespoke specifications
- Expert advice on low maintenance solutions
- Site survey and design stage involvement
- Thermal value calculations to building regulations part 'L'
- Tapered insulation scheme design
- Wind uplift calculation
- Building regulations Part B (fire) compliance options

The Proteus Waterproofing service package includes:

- Detailed specifications
- 👂 National contractor base
- Technical manager inspections throughout the project
- Installation sign off







