


- ①  Substrate
- ②  **Pro-Vapour Control/Carrier Membrane SA** adhered with **Pro-Prime® SA** (tissue faced insulation | timber | concrete | asphalt | felt substrates)
- ③  **Pro-Bond Foaming** (adhesive)
- ④  **Proteus Pro-Therm Insulation** (as per specification)
- ⑤  **Cold Melt®**
- ⑥  **Pro-Living® Drainage Trim**
- ⑦  **Proteus Pro-Therm Low-K** (separation layer)
- ⑧  **Pro-Living® Drainage Board**
- ⑨  **Pro-Living® Filter Fleece**
- ⑩  **Pro-Living® Substrate** (min. 80mm settled depth)
- ⑪  **Pro-Living® Vegetation**
- ⑫  **Gravel ballast** (2000/553/EC compliant)
- ⑬  **Paving slabs on pedestals** (2000/553/EC compliant)



Proteus Waterproofing Ltd.

21a Sirdar Road,
Brook Road Industrial Estate,
Rayleigh, Essex, SS6 7XF

Tel: +44 (0)1268 777871

W: www.proteuswaterproofing.co.uk

E: office@proteuswaterproofing.co.uk

All components are to be prepared
and installed in strict accordance with
Proteus Project Specification

Notes :

This drawing is solely intended to illustrate the correct application of Proteus Waterproofing Ltd's products and systems. All other elements bearing reference to structural and/or thermal design within the detail are shown indicatively and should not be used in whole or part for any aspect of project design without consulting the relevant authorities.

For refurbishment projects, all aspects of the existing roof are deemed to be fully compliant with BS 6229 (Code of practice for flat roofs with continuously supported coverings) or improved upon for instances where these standards are not met.


© This drawing is the copyright of Proteus Waterproofing Ltd.

Drawing No:		Roof Type:
SD_CM_BUR_01		BUR
Description:		
Horizontal Surface		
Scale:	Drawn:	Date:
NTS	W.Harding	07/10/2025

Proteus Cold Melt®



- ①  Substrate
- ②  **Pro-Vapour Control/Carrier Membrane SA** adhered with **Pro-Prime® SA** (tissue faced insulation | timber | concrete | asphalt | felt substrates)
- ③  **Pro-Bond Foaming** (adhesive)
- ④  **Proteus Pro-Therm Insulation** (as per specification)
- ⑤  **Cold Melt®**
- ⑥  **Proteus Cold Melt® UV Top** (all exposed areas)
- ⑦  **Pro-Living® Drainage Trim**
- ⑧  **Proteus Pro-Therm Low-K** (separation layer)
- ⑨  **Pro-Living® Drainage Board**
- ⑩  **Pro-Living® Filter Fleece**
- ⑪  **Pro-Living® Substrate** (min. 80mm settled depth)
- ⑫  **Pro-Living® Vegetation**
- ⑬  **Gravel ballast** (2000/553/EC compliant)
- ⑭  **Paving slabs on pedestals** (2000/553/EC compliant)



Proteus Waterproofing Ltd.

21a Sirdar Road,
Brook Road Industrial Estate,
Rayleigh, Essex, SS6 7XF

Tel: +44 (0)1268 777871

W: www.proteuswaterproofing.co.uk

E: office@proteuswaterproofing.co.uk

All components are to be prepared
and installed in strict accordance with
Proteus Project Specification

Notes :

This drawing is solely intended to illustrate the correct application of Proteus Waterproofing Ltd's products and systems. All other elements bearing reference to structural and/or thermal design within the detail are shown indicatively and should not be used in whole or part for any aspect of project design without consulting the relevant authorities.

For refurbishment projects, all aspects of the existing roof are deemed to be fully compliant with BS 6229 (Code of practice for flat roofs with continuously supported coverings) or improved upon for instances where these standards are not met.


© This drawing is the copyright of Proteus Waterproofing Ltd.

Drawing No: SD_CM_BUR_02		Roof Type: BUR
Description: Vertical Rainwater Outlet		
Scale: NTS	Drawn: W.Harding	Date: 07/10/2025

Proteus Cold Melt®



- ①  Substrate
- ②  Rooflight / Roof Access Hatch (by others)
- ③  **Pro-Vapour Control/Carrier Membrane SA** adhered with **Pro-Prime® SA** (tissue faced insulation | timber | concrete | asphalt | felt substrates)
- ④  **Pro-Bond Foaming** (adhesive)
- ⑤  **Proteus Pro-Therm Insulation** (as per specification)
- ⑥  **Cold Melt®**
- ⑦  **Cold Melt® UV Top** (all exposed areas)
- ⑧  **Proteus Sealant**
- ⑨  **Pro-Living® Drainage Trim**
- ⑩  **Proteus Pro-Therm Low-K** (separation layer)
- ⑪  **Pro-Living® Drainage Board**
- ⑫  **Pro-Living® Filter Fleece**
- ⑬  **Pro-Living® Substrate** (min. 80mm settled depth)
- ⑭  **Pro-Living® Vegetation**
- ⑮  **Gravel ballast** (2000/553/EC compliant)
- ⑯  **Paving slabs on pads** (2000/553/EC compliant)



Proteus Waterproofing Ltd.

21a Sirdar Road,
Brook Road Industrial Estate,
Rayleigh, Essex, SS6 7XF

Tel: +44 (0)1268 777871

W: www.proteuswaterproofing.co.uk

E: office@proteuswaterproofing.co.uk

All components are to be prepared
and installed in strict accordance with
Proteus Project Specification

Notes :

This drawing is solely intended to illustrate the correct application of Proteus Waterproofing Ltd's products and systems. All other elements bearing reference to structural and/or thermal design within the detail are shown indicatively and should not be used in whole or part for any aspect of project design without consulting the relevant authorities.

For refurbishment projects, all aspects of the existing roof are deemed to be fully compliant with BS 6229 (Code of practice for flat roofs with continuously supported coverings) or improved upon for instances where these standards are not met.

© This drawing is the copyright of Proteus Waterproofing Ltd.




Drawing No: SD_CM_BUR_03		Roof Type: BUR
Description: Rooflight / Access Hatch		
Scale: NTS	Drawn: W.Harding	Date: 07/10/2025

Proteus Cold Melt®



Proteus
WATERPROOFING

- ①  Substrate
- ②  **Pro-Vapour Control/Carrier Membrane SA** adhered with **Pro-Prime® SA** (tissue faced insulation | timber | concrete | asphalt | felt substrates)
- ③  **Pro-Bond Foaming** (adhesive)
- ④  **Proteus Pro-Therm Insulation** (as per specification)
- ⑤  **Cold Melt®**
- ⑥  **Cold Melt® UV Top** (all exposed areas)
- ⑦  **Proteus Sealant**
- ⑧  **Proteus Pro-Therm Low-K** (separation layer)
- ⑨  **Pro-Living® Drainage Board**
- ⑩  **Pro-Living® Filter Fleece**
- ⑪  **Pro-Living® Drainage Trim**
- ⑫  **Pro-Living® Substrate** (min. 80mm settled depth)
- ⑬  **Pro-Living® Vegetation**
- ⑭  **Gravel ballast** (2000/553/EC compliant)



Proteus Waterproofing Ltd.

21a Sirdar Road,
Brook Road Industrial Estate,
Rayleigh, Essex, SS6 7XF

Tel: +44 (0)1268 777871

W: www.proteuswaterproofing.co.uk

E: office@proteuswaterproofing.co.uk

All components are to be prepared and installed in strict accordance with **Proteus Project Specification**

Notes :

This drawing is solely intended to illustrate the correct application of Proteus Waterproofing Ltd's products and systems. All other elements bearing reference to structural and/or thermal design within the detail are shown indicatively and should not be used in whole or part for any aspect of project design without consulting the relevant authorities.

For refurbishment projects, all aspects of the existing roof are deemed to be fully compliant with BS 6229 (Code of practice for flat roofs with continuously supported coverings) or improved upon for instances where these standards are not met.

© This drawing is the copyright of Proteus Waterproofing Ltd.

Drawing No:

SD_CM_BUR_04

Roof Type:

BUR

Description:

Uprand Terminations

Scale:
NTS

Drawn:
W.Harding


Date:
07/10/2025

Proteus Cold Melt®



Proteus
WATERPROOFING

- ①  Substrate
- ②  **Pro-Vapour Control/Carrier Membrane SA** adhered with **Pro-Prime® SA** (tissue faced insulation | timber | concrete | asphalt | felt substrates)
- ③  **Pro-Bond Foaming** (adhesive)
- ④  **Proteus Pro-Therm Insulation** (as per specification)
- ⑤  **Cold Melt®**
- ⑥  **Cold Melt® UV Top** (all exposed areas)
- ⑦  **Proteus Pro-Therm Low-K** (separation layer)
- ⑧  **Gravel ballast** (2000/553/EC compliant)
- ⑨  Paving slabs on pads (2000/553/EC compliant)



Proteus Waterproofing Ltd.

21a Sirdar Road,
Brook Road Industrial Estate,
Rayleigh, Essex, SS6 7XF

Tel: +44 (0)1268 777871

W: www.proteuswaterproofing.co.uk

E: office@proteuswaterproofing.co.uk

All components are to be prepared
and installed in strict accordance with
Proteus Project Specification

Notes :

This drawing is solely intended to illustrate the correct application of Proteus Waterproofing Ltd's products and systems. All other elements bearing reference to structural and/or thermal design within the detail are shown indicatively and should not be used in whole or part for any aspect of project design without consulting the relevant authorities.

For refurbishment projects, all aspects of the existing roof are deemed to be fully compliant with BS 6229 (Code of practice for flat roofs with continuously supported coverings) or improved upon for instances where these standards are not met.

© This drawing is the copyright of Proteus Waterproofing Ltd.

Drawing No:

SD_CM_BUR_05

Roof Type:

BUR

Description:

Insulated Parapet - Capping

Scale:

NTS

Drawn:

W.Harding

Date:


07/10/2025

Proteus Cold Melt®



Proteus
WATERPROOFING

- ①  Substrate
- ②  **Pro-Vapour Control/Carrier Membrane SA** adhered with **Pro-Prime® SA** (tissue faced insulation | timber | concrete | asphalt | felt substrates)
- ③  **Pro-Bond Foaming** (adhesive)
- ④  **Proteus Pro-Therm Insulation** (as per specification)
- ⑤  **Cold Melt®**
- ⑥  **Cold Melt® UV Top** (all exposed areas)
- ⑦  **Proteus Pro-Therm Low-K** (separation layer)
- ⑧  **Gravel ballast** (2000/553/EC compliant)
- ⑨  **Paving slabs on pads** (2000/553/EC compliant)



Proteus Waterproofing Ltd.

21a Sirdar Road,
Brook Road Industrial Estate,
Rayleigh, Essex, SS6 7XF

Tel: +44 (0)1268 777871

W: www.proteuswaterproofing.co.uk

E: office@proteuswaterproofing.co.uk

All components are to be prepared
and installed in strict accordance with
Proteus Project Specification

Notes :

This drawing is solely intended to illustrate the correct application of Proteus Waterproofing Ltd's products and systems. All other elements bearing reference to structural and/or thermal design within the detail are shown indicatively and should not be used in whole or part for any aspect of project design without consulting the relevant authorities.

For refurbishment projects, all aspects of the existing roof are deemed to be fully compliant with BS 6229 (Code of practice for flat roofs with continuously supported coverings) or improved upon for instances where these standards are not met.


© This drawing is the copyright of Proteus Waterproofing Ltd.

Drawing No: SD_CM_BUR_06		Roof Type: BUR
Description: Uninsulated Parapet - Capping		
Scale: NTS	Drawn: W.Harding	Date: 07/10/2025

Proteus Cold Melt®



- ①  Substrate
- ②  **Pro-Vapour Control/Carrier Membrane SA** adhered with **Pro-Prime® SA** (tissue faced insulation | timber | concrete | asphalt | felt substrates)
- ③  **Pro-Bond Foaming** (adhesive)
- ④  **Proteus Pro-Therm Insulation** (as per specification)
- ⑤  **Cold Melt®**
- ⑥  **Cold Melt® UV Top** (all exposed areas)
- ⑦  **GRP Trim** (mechanically fixed) and **Proteus Sealant**
- ⑧  **Proteus Pro-Therm Low-K** (separation layer)
- ⑨  **Gravel ballast** (2000/553/EC compliant)
- ⑩  **Paving slabs on pads** (2000/553/EC compliant)



Proteus Waterproofing Ltd.

21a Sirdar Road,
Brook Road Industrial Estate,
Rayleigh, Essex, SS6 7XF

Tel: +44 (0)1268 777871

W: www.proteuswaterproofing.co.uk

E: office@proteuswaterproofing.co.uk

All components are to be prepared
and installed in strict accordance with
Proteus Project Specification

Notes :

This drawing is solely intended to illustrate the correct application of Proteus Waterproofing Ltd's products and systems. All other elements bearing reference to structural and/or thermal design within the detail are shown indicatively and should not be used in whole or part for any aspect of project design without consulting the relevant authorities.

For refurbishment projects, all aspects of the existing roof are deemed to be fully compliant with BS 6229 (Code of practice for flat roofs with continuously supported coverings) or improved upon for instances where these standards are not met.


© This drawing is the copyright of Proteus Waterproofing Ltd.

Drawing No: SD_CM_BUR_07		Roof Type: BUR
Description: Parapet - GRP Trim		
Scale: NTS	Drawn: W.Harding	Date: 07/10/2025

Proteus Cold Melt®



- ①  Substrate
- ②  **Pro-Vapour Control/Carrier Membrane SA** adhered with **Pro-Prime® SA** (tissue faced insulation | timber | concrete | asphalt | felt substrates)
- ③  **Pro-Bond Foaming** (adhesive)
- ④  **Proteus Pro-Therm Insulation** (as per specification)
- ⑤  **Cold Melt®**
- ⑥  **Proteus Sealant**
- ⑦  Paving slabs on pedestals (2000/553/EC compliant)
- ⑧  Slot drain (by others)



Proteus Waterproofing Ltd.

21a Sirdar Road,
Brook Road Industrial Estate,
Rayleigh, Essex, SS6 7XF

Tel: +44 (0)1268 777871

W: www.proteuswaterproofing.co.uk

E: office@proteuswaterproofing.co.uk

All components are to be prepared and installed in strict accordance with Proteus Project Specification

Notes :

This drawing is solely intended to illustrate the correct application of Proteus Waterproofing Ltd's products and systems. All other elements bearing reference to structural and/or thermal design within the detail are shown indicatively and should not be used in whole or part for any aspect of project design without consulting the relevant authorities.

For refurbishment projects, all aspects of the existing roof are deemed to be fully compliant with BS 6229 (Code of practice for flat roofs with continuously supported coverings) or improved upon for instances where these standards are not met.


© This drawing is the copyright of Proteus Waterproofing Ltd.

Drawing No: SD_CM_BUR_08		Roof Type: BUR
Description: Level Threshold (Existing) - Sealant		
Scale: NTS	Drawn: W.Harding	Date: 07/10/2025

Proteus Cold Melt®



- ①  Substrate
- ②  **Pro-Vapour Control/Carrier Membrane SA** adhered with **Pro-Prime® SA** (tissue faced insulation | timber | concrete | asphalt | felt substrates)
- ③  **Pro-Bond Foaming** (adhesive)
- ④  **Proteus Pro-Therm Insulation** (as per specification)
- ⑤  **Cold Melt®**
- ⑥  EPDM membrane (by others - min. 100mm lap onto waterproofing)
- ⑦  Paving slabs on pedestals (2000/553/EC compliant)
- ⑧  Slot drain (by others)



Proteus Waterproofing Ltd.

21a Sirdar Road,
Brook Road Industrial Estate,
Rayleigh, Essex, SS6 7XF

Tel: +44 (0)1268 777871

W: www.proteuswaterproofing.co.uk

E: office@proteuswaterproofing.co.uk

All components are to be prepared and installed in strict accordance with Proteus Project Specification

Notes :

This drawing is solely intended to illustrate the correct application of Proteus Waterproofing Ltd's products and systems. All other elements bearing reference to structural and/or thermal design within the detail are shown indicatively and should not be used in whole or part for any aspect of project design without consulting the relevant authorities.

For refurbishment projects, all aspects of the existing roof are deemed to be fully compliant with BS 6229 (Code of practice for flat roofs with continuously supported coverings) or improved upon for instances where these standards are not met.


© This drawing is the copyright of Proteus Waterproofing Ltd.

Drawing No: SD_CM_BUR_09		Roof Type: BUR
Description: Level Threshold (New) - EPDM		
Scale: NTS	Drawn: W.Harding	Date: 07/10/2025

Proteus Cold Melt®



- ①  Substrate
- ②  **Pro-Vapour Control/Carrier Membrane SA** adhered with **Pro-Prime® SA** (tissue faced insulation | timber | concrete | asphalt | felt substrates)
- ③  **Pro-Bond Foaming** (adhesive)
- ④  **Proteus Pro-Therm Insulation** (as per specification)
- ⑤  **Cold Melt®**
- ⑥  **Cold Melt® Pitch Pocket**
- ⑦  **Pro-Living® Drainage Trim**
- ⑧  **Proteus Pro-Therm Low-K** (separation layer)
- ⑨  **Pro-Living® Drainage Board**
- ⑩  **Pro-Living® Filter Fleece**
- ⑪  **Pro-Living® Substrate** (min. 80mm settled depth)
- ⑫  **Pro-Living® Vegetation**
- ⑬  **Gravel ballast** (2000/553/EC compliant)
- ⑭  **Paving slabs on pedestals** (2000/553/EC compliant)



Proteus Waterproofing Ltd.

21a Sirdar Road,
Brook Road Industrial Estate,
Rayleigh, Essex, SS6 7XF

Tel: +44 (0)1268 777871

W: www.proteuswaterproofing.co.uk

E: office@proteuswaterproofing.co.uk

All components are to be prepared
and installed in strict accordance with
Proteus Project Specification

Notes :

This drawing is solely intended to illustrate the correct application of Proteus Waterproofing Ltd's products and systems. All other elements bearing reference to structural and/or thermal design within the detail are shown indicatively and should not be used in whole or part for any aspect of project design without consulting the relevant authorities.

For refurbishment projects, all aspects of the existing roof are deemed to be fully compliant with BS 6229 (Code of practice for flat roofs with continuously supported coverings) or improved upon for instances where these standards are not met.


© This drawing is the copyright of Proteus Waterproofing Ltd.

Drawing No: SD_CM_BUR_10		Roof Type: BUR
Description: Cold Pipe Penetration		
Scale: NTS	Drawn: W.Harding	Date: 07/10/2025

Proteus Cold Melt®



- ①  Substrate
- ②  **Pro-Vapour Control/Carrier Membrane SA** adhered with **Pro-Prime® SA** (tissue faced insulation | timber | concrete | asphalt | felt substrates)
- ③  **Pro-Bond Foaming** (adhesive)
- ④  **Proteus Pro-Therm Insulation** (as per specification)
- ⑤  **Cold Melt®**
- ⑥  **Cold Melt® UV Top** (all exposed areas)
- ⑦  Paving slabs on pads (2000/553/EC compliant)
- ⑧  **Gravel ballast** (2000/553/EC compliant)



Proteus Waterproofing Ltd.

21a Sirdar Road,
Brook Road Industrial Estate,
Rayleigh, Essex, SS6 7XF

Tel: +44 (0)1268 777871

W: www.proteuswaterproofing.co.uk

E: office@proteuswaterproofing.co.uk

**All components are to be prepared
and installed in strict accordance with
Proteus Project Specification**

Notes :

This drawing is solely intended to illustrate the correct application of Proteus Waterproofing Ltd's products and systems. All other elements bearing reference to structural and/or thermal design within the detail are shown indicatively and should not be used in whole or part for any aspect of project design without consulting the relevant authorities.

For refurbishment projects, all aspects of the existing roof are deemed to be fully compliant with BS 6229 (Code of practice for flat roofs with continuously supported coverings) or improved upon for instances where these standards are not met.


© This drawing is the copyright of Proteus Waterproofing Ltd.

Drawing No:	Roof Type:	
SD_CM_BUR_11	BUR	
Description:		
Insulated Parapet Gutter		
Scale:	Drawn:	Date:
NTS	W.Harding	07/10/2025

Proteus Cold Melt®



- ①  Substrate
- ②  **Pro-Vapour Control/Carrier Membrane SA** adhered with **Pro-Prime® SA** (tissue faced insulation | timber | concrete | asphalt | felt substrates)
- ③  **Pro-Bond Foaming** (adhesive)
- ④  **Proteus Pro-Therm Insulation** (as per specification)
- ⑤  **Cold Melt®**
- ⑥  **Cold Melt® UV Top** (all exposed areas)
- ⑦  **Pro-Living® Drainage Trim**
- ⑧  **Proteus Pro-Therm Low-K** (separation layer)
- ⑨  **Pro-Living® Drainage Board**
- ⑩  **Pro-Living® Filtration Fleece**
- ⑪  **Pro-Living® Substrate** (min. 80mm settled depth)
- ⑫  **Pro-Living® Vegetation**
- ⑬  **Gravel ballast** (2000/553/EC compliant)



Proteus Waterproofing Ltd.

21a Sirdar Road,
Brook Road Industrial Estate,
Rayleigh, Essex, SS6 7XF

Tel: +44 (0)1268 777871

W: www.proteuswaterproofing.co.uk

E: office@proteuswaterproofing.co.uk

All components are to be prepared
and installed in strict accordance with
Proteus Project Specification

Notes :

This drawing is solely intended to illustrate the correct application of Proteus Waterproofing Ltd's products and systems. All other elements bearing reference to structural and/or thermal design within the detail are shown indicatively and should not be used in whole or part for any aspect of project design without consulting the relevant authorities.

For refurbishment projects, all aspects of the existing roof are deemed to be fully compliant with BS 6229 (Code of practice for flat roofs with continuously supported coverings) or improved upon for instances where these standards are not met.


© This drawing is the copyright of Proteus Waterproofing Ltd.

Drawing No: SD_CM_BUR_12		Roof Type: BUR
Description: Uninsulated Parapet Gutter		
Scale: NTS	Drawn: W.Harding	Date: 07/10/2025

Proteus Cold Melt®



- ①  Substrate
- ②  **Pro-Vapour Control/Carrier Membrane SA** adhered with **Pro-Prime® SA** (tissue faced insulation | timber | concrete | asphalt | felt substrates)
- ③  **Pro-Bond Foaming** (adhesive)
- ④  **Proteus Pro-Therm Insulation** (as per specification)
- ⑤  Metal angle (by others)
- ⑥  **Cold Melt®**
- ⑦  **Cold Melt® UV Top** (all exposed areas)
- ⑧  **Pro-Living® Drainage Trim**
- ⑨  **Proteus Pro-Therm Low-K** (separation layer)
- ⑩  **Pro-Living® Drainage Board**
- ⑪  **Pro-Living® Filter Fleece**
- ⑫  **Pro-Living® Substrate** (min. 80mm settled depth)
- ⑬  **Pro-Living® Vegetation**
- ⑭  **Gravel ballast** (2000/553/EC compliant)
- ⑮  **Paving slabs on pads** (2000/553/EC compliant)



Proteus Waterproofing Ltd.

21a Sirdar Road,
Brook Road Industrial Estate,
Rayleigh, Essex, SS6 7XF

Tel: +44 (0)1268 777871

W: www.proteuswaterproofing.co.uk

E: office@proteuswaterproofing.co.uk

All components are to be prepared
and installed in strict accordance with
Proteus Project Specification

Notes :

This drawing is solely intended to illustrate the correct application of Proteus Waterproofing Ltd's products and systems. All other elements bearing reference to structural and/or thermal design within the detail are shown indicatively and should not be used in whole or part for any aspect of project design without consulting the relevant authorities.

For refurbishment projects, all aspects of the existing roof are deemed to be fully compliant with BS 6229 (Code of practice for flat roofs with continuously supported coverings) or improved upon for instances where these standards are not met.

© This drawing is the copyright of Proteus Waterproofing Ltd.


Drawing No: SD_CM_BUR_13		Roof Type: BUR
Description: Roof Transition		
Scale: NTS	Drawn: W.Harding	Date: 07/10/2025

Proteus Cold Melt®



Proteus
WATERPROOFING

- ①  Substrate
- ②  **Pro-Vapour Control/Carrier Membrane SA and Pro-Prime® SA**
- ③  **Pro-Bond Foaming** (adhesive)
- ④  **Proteus Pro-Therm Insulation** (tissue faced)
- ⑤  **Cold-Melt®**
- ⑥  **Cold Melt® UV Top** (all exposed areas)
- ⑦  **Pro-Living® Blue Boxx 30mm**
- ⑧  **Pro-Living® Blue Boxx HD-350 Geotextile**
- ⑨  **Pro-Living® Aqua Wrap**
- ⑩  **Pro-Living® Blue Boxx Access/Diffuser Unit**
- ⑪  **Pro-Living® Blue Boxx** (size as per specification design)
- ⑫  **Pro-Living® 125 Geotextile**
- ⑬  **Pro-Living® DR8 Drainage Board**
- ⑭  **Pro-Living® Drainage Trim**
- ⑮  **Pro-Living® Filter Fleece**
- ⑯  **Gravel ballast** (2000/553/EC compliant)
- ⑰  **Pro-Living® Substrate** (min. 80mm settled depth)
- ⑱  **Pro-Living® Vegetation**



Proteus Waterproofing Ltd.

21a Sirdar Road,
Brook Road Industrial Estate,
Rayleigh, Essex, SS6 7XF

Tel: +44 (0)1268 777871

W: www.proteuswaterproofing.co.uk

E: office@proteuswaterproofing.co.uk

All components are to be prepared
and installed in strict accordance with
Proteus Project Specification

Notes :

This drawing is solely intended to illustrate the correct application of Proteus Waterproofing Ltd's products and systems. All other elements bearing reference to structural and/or thermal design within the detail are shown indicatively and should not be used in whole or part for any aspect of project design without consulting the relevant authorities.

For refurbishment projects, all aspects of the existing roof are deemed to be fully compliant with BS 6229 (Code of practice for flat roofs with continuously supported coverings) or improved upon for instances where these standards are not met.

© This drawing is the copyright of Proteus Waterproofing Ltd.

Drawing No.:

SD_CM_BUR_14

Roof Type:

BUR

Description:

Blue Roof

Scale:

NTS

Drawn:

W.Harding

Date:


02/05/2025

Proteus Cold Melt®



Proteus
WATERPROOFING

- ①  Substrate
- ②  Non-combustible Insulation (by others)
- ③  Metal angle (by others)
- ④  **Pro-Vapour Control/Carrier Membrane SA** adhered with **Pro-Prime® SA** (tissue faced insulation | timber | concrete | asphalt | felt substrates)
- ⑤  **Pro-Bond Foaming** (adhesive)
- ⑥  **Proteus Pro-Therm Insulation** (as per specification)
- ⑦  **Cold Melt®**
- ⑧  **Cold Melt® UV Top** (all exposed areas)
- ⑨  Jubilee Clip (by others)
- ⑩  **Proteus Pro-Therm Low-K** (separation layer)
- ⑪  **Pro-Living® Drainage Board**
- ⑫  **Pro-Living® Filter Fleece**
- ⑬  **Pro-Living® Drainage Trim**
- ⑭  **Pro-Living® Substrate** (min. 80mm settled depth)
- ⑮  **Pro-Living® Vegetation**
- ⑯  **Gravel ballast** (2000/553/EC compliant)



Proteus Waterproofing Ltd.

21a Sirdar Road,
Brook Road Industrial Estate,
Rayleigh, Essex, SS6 7XF

Tel: +44 (0)1268 777871

W: www.proteuswaterproofing.co.uk

E: office@proteuswaterproofing.co.uk

All components are to be prepared and installed in strict accordance with Proteus Project Specification

Notes :

This drawing is solely intended to illustrate the correct application of Proteus Waterproofing Ltd's products and systems. All other elements bearing reference to structural and/or thermal design within the detail are shown indicatively and should not be used in whole or part for any aspect of project design without consulting the relevant authorities.

For refurbishment projects, all aspects of the existing roof are deemed to be fully compliant with BS 6229 (Code of practice for flat roofs with continuously supported coverings) or improved upon for instances where these standards are not met.


© This drawing is the copyright of Proteus Waterproofing Ltd.

Drawing No: SD_CM_BUR_15		Roof Type: BUR
Description: Hot pipe penetration		
Scale: NTS	Drawn: W.Harding	Date: 07/10/2025

Proteus Cold Melt®



- ①  Substrate
- ②  **Pro-Vapour Control/Carrier Membrane SA** adhered with **Pro-Prime® SA** (tissue faced insulation | timber | concrete | asphalt | felt substrates)
- ③  **Pro-Bond Foaming** (adhesive)
- ④  **Proteus Pro-Therm Insulation** (as per specification)
- ⑤  **Cold Melt®**
- ⑥  **Pro-BW® Plus Resin** (base coat) with embedded **Pro-Force 450** reinforcement
- ⑦  **Pro-BW® Plus Resin** (top coat)
- ⑧  Metal angle (by others)
- ⑨  **Proteus Pro-Therm Low-K** (separation layer)
- ⑩  **Pro-Living® Drainage Board**
- ⑪  **Pro-Living® Filter Fleece**
- ⑫  **Pro-Living® Drainage Trim**
- ⑬  **Pro-Living® Substrate** (min. 80mm settled depth)
- ⑭  **Pro-Living® Vegetation**
- ⑮  **Gravel ballast** (2000/553/EC compliant)



Proteus Waterproofing Ltd.

21a Sirdar Road,
Brook Road Industrial Estate,
Rayleigh, Essex, SS6 7XF

Tel: +44 (0)1268 777871

W: www.proteuswaterproofing.co.uk

E: office@proteuswaterproofing.co.uk

**All components are to be prepared
and installed in strict accordance with
Proteus Project Specification**

Notes :

This drawing is solely intended to illustrate the correct application of Proteus Waterproofing Ltd's products and systems. All other elements bearing reference to structural and/or thermal design within the detail are shown indicatively and should not be used in whole or part for any aspect of project design without consulting the relevant authorities.

For refurbishment projects, all aspects of the existing roof are deemed to be fully compliant with BS 6229 (Code of practice for flat roofs with continuously supported coverings) or improved upon for instances where these standards are not met.

© This drawing is the copyright of Proteus Waterproofing Ltd.

Drawing No:

SD_CM_BUR_16

Roof Type:

BUR

Description:

Drip Edge for Lift Overrun

Scale:

NTS

Drawn:

W.Harding

Date:


07/10/2025

Proteus Cold Melt®



Proteus
WATERPROOFING

- ①  Substrate
- ②  **Pro-Vapour Control/Carrier Membrane SA** adhered with **Pro-Prime® SA** (tissue faced insulation | timber | concrete | asphalt | felt substrates)
- ③  **Pro-Bond Foaming** (adhesive)
- ④  **Proteus Pro-Therm Insulation** (as per specification)
- ⑤  **Cold Melt®**
- ⑥  **Cold Melt® UV Top** (all exposed areas)
- ⑦  Paving slabs on pads (2000/553/EC compliant)
- ⑧  **Gravel ballast** (2000/553/EC compliant)



Proteus Waterproofing Ltd.

21a Sirdar Road,
Brook Road Industrial Estate,
Rayleigh, Essex, SS6 7XF

Tel: +44 (0)1268 777871

W: www.proteuswaterproofing.co.uk

E: office@proteuswaterproofing.co.uk

All components are to be prepared
and installed in strict accordance with
Proteus Project Specification

Notes :

This drawing is solely intended to illustrate the correct application of Proteus Waterproofing Ltd's products and systems. All other elements bearing reference to structural and/or thermal design within the detail are shown indicatively and should not be used in whole or part for any aspect of project design without consulting the relevant authorities.

For refurbishment projects, all aspects of the existing roof are deemed to be fully compliant with BS 6229 (Code of practice for flat roofs with continuously supported coverings) or improved upon for instances where these standards are not met.


© This drawing is the copyright of Proteus Waterproofing Ltd.

Drawing No: SD_CM_BUR_17		Roof Type: BUR
Description: Upstand/Layboard to Pitched Roof		
Scale: NTS	Drawn: W.Harding	Date: 07/10/2025

Proteus Cold Melt®



- ①  Substrate
- ②  **Pro-Vapour Control/Carrier Membrane SA** adhered with **Pro-Prime® SA** (tissue faced insulation | timber | concrete | asphalt | felt substrates)
- ③  **Pro-Bond Foaming** (adhesive)
- ④  **Proteus Pro-Therm Insulation** (as per specification)
- ⑤  **Cold Melt®**
- ⑥  **Proteus Pro-Therm Low-K** (separation layer)
- ⑦  Paving slabs on pads (2000/553/EC compliant)
- ⑧  **Gravel ballast** (2000/553/EC compliant)
- ⑨  Flashing (by others)



Proteus Waterproofing Ltd.

21a Sirdar Road,
Brook Road Industrial Estate,
Rayleigh, Essex, SS6 7XF

Tel: +44 (0)1268 777871

W: www.proteuswaterproofing.co.uk

E: office@proteuswaterproofing.co.uk

**All components are to be prepared
and installed in strict accordance with
Proteus Project Specification**

Notes :

This drawing is solely intended to illustrate the correct application of Proteus Waterproofing Ltd's products and systems. All other elements bearing reference to structural and/or thermal design within the detail are shown indicatively and should not be used in whole or part for any aspect of project design without consulting the relevant authorities.

For refurbishment projects, all aspects of the existing roof are deemed to be fully compliant with BS 6229 (Code of practice for flat roofs with continuously supported coverings) or improved upon for instances where these standards are not met.


© This drawing is the copyright of Proteus Waterproofing Ltd.

Drawing No: SD_CM_BUR_18		Roof Type: BUR
Description: Perimeter Mansard		
Scale: NTS	Drawn: W.Harding	Date: 07/10/2025

Proteus Cold Melt®



- ①  Substrate
- ②  **Pro-Vapour Control/Carrier Membrane SA** adhered with **Pro-Prime® SA** (tissue faced insulation | timber | concrete | asphalt | felt substrates)
- ③  **Pro-Bond Foaming** (adhesive)
- ④  **Proteus Pro-Therm Insulation** (as per specification)
- ⑤  **Cold Melt®**
- ⑥  **Sacrificial Layer** (TBC with Proteus)



Proteus Waterproofing Ltd.

21a Sirdar Road,
Brook Road Industrial Estate,
Rayleigh, Essex, SS6 7XF

Tel: +44 (0)1268 777871

W: www.proteuswaterproofing.co.uk

E: office@proteuswaterproofing.co.uk

All components are to be prepared
and installed in strict accordance with
Proteus Project Specification

Notes :

This drawing is solely intended to illustrate the correct application of Proteus Waterproofing Ltd's products and systems. All other elements bearing reference to structural and/or thermal design within the detail are shown indicatively and should not be used in whole or part for any aspect of project design without consulting the relevant authorities.

For refurbishment projects, all aspects of the existing roof are deemed to be fully compliant with BS 6229 (Code of practice for flat roofs with continuously supported coverings) or improved upon for instances where these standards are not met.


© This drawing is the copyright of Proteus Waterproofing Ltd.

Drawing No: SD_CM_BUR_20		Roof Type: BUR
Description: Sacrificial layer under free standing plant		
Scale: NTS	Drawn: W.Harding	Date: 07/10/2025

Proteus Cold Melt®



- ①  Substrate
- ②  Metal angle
- ③  **Pro-Vapour Control/Carrier Membrane SA** adhered with **Pro-Prime® SA** (tissue faced insulation | timber | concrete | asphalt | felt substrates)
- ④  **Pro-Bond Foaming** (adhesive)
- ⑤  **Proteus Pro-Therm Insulation** (as per specification)
- ⑥  **Cold Melt®**
- ⑦  **Cold Melt® UV Top** (all exposed areas)
- ⑧  Flashing (by others)
- ⑨  **Proteus Pro-Therm Low-K** (separation layer)
- ⑩  **Pro-Living® Drainage Board**
- ⑪  **Pro-Living® Filter Fleece**
- ⑫  **Pro-Living® Drainage Trim**
- ⑬  **Pro-Living® Substrate** (min. 80mm settled depth)
- ⑭  **Pro-Living® Vegetation**
- ⑮  **Gravel ballast** (2000/553/EC compliant)



Proteus Waterproofing Ltd.

21a Sirdar Road,
Brook Road Industrial Estate,
Rayleigh, Essex, SS6 7XF

Tel: +44 (0)1268 777871

W: www.proteuswaterproofing.co.uk

E: office@proteuswaterproofing.co.uk

**All components are to be prepared
and installed in strict accordance with
Proteus Project Specification**

Notes :

This drawing is solely intended to illustrate the correct application of Proteus Waterproofing Ltd's products and systems. All other elements bearing reference to structural and/or thermal design within the detail are shown indicatively and should not be used in whole or part for any aspect of project design without consulting the relevant authorities.

For refurbishment projects, all aspects of the existing roof are deemed to be fully compliant with BS 6229 (Code of practice for flat roofs with continuously supported coverings) or improved upon for instances where these standards are not met.

© This drawing is the copyright of Proteus Waterproofing Ltd.


Drawing No: SD_CM_BUR_23		Roof Type: BUR
Description: Expansion Joints		
Scale: NTS	Drawn: W.Harding	Date: 07/10/2025

Proteus Cold Melt®



Proteus
WATERPROOFING

- ①  Substrate
- ②  Metal angle (by others)
- ③  **Pro-Vapour Control/Carrier Membrane SA** adhered with **Pro-Prime® SA** (tissue faced insulation | timber | concrete | asphalt | felt substrates)
- ④  **Pro-Bond Foaming** (adhesive)
- ⑤  **Proteus Pro-Therm Insulation** (non-combustible)
- ⑥  **Cold Melt®**
- ⑦  **Cold Melt® UV Top** (all exposed areas)
- ⑧  Metal Flashing and Sealant (by others)
- ⑨  **Proteus Pro-Therm Low-K** (separation layer)
- ⑩  **Pro-Living® Drainage Board**
- ⑪  **Pro-Living® Drainage Trim**
- ⑫  **Pro-Living® Filter Fleece**
- ⑬  **Pro-Living® Substrate** (min. 80mm settled depth)
- ⑭  **Pro-Living® Vegetation**
- ⑮  **Gravel ballast** (2000/553/EC compliant)



Proteus Waterproofing Ltd.

21a Sirdar Road,
Brook Road Industrial Estate,
Rayleigh, Essex, SS6 7XF

Tel: +44 (0)1268 777871

W: www.proteuswaterproofing.co.uk

E: office@proteuswaterproofing.co.uk

**All components are to be prepared
and installed in strict accordance with
Proteus Project Specification**

Notes :

This drawing is solely intended to illustrate the correct application of Proteus Waterproofing Ltd's products and systems. All other elements bearing reference to structural and/or thermal design within the detail are shown indicatively and should not be used in whole or part for any aspect of project design without consulting the relevant authorities.

For refurbishment projects, all aspects of the existing roof are deemed to be fully compliant with BS 6229 (Code of practice for flat roofs with continuously supported coverings) or improved upon for instances where these standards are not met.

© This drawing is the copyright of Proteus Waterproofing Ltd.

Drawing No:
SD_CM_BUR_24

Roof Type:
BUR

Description:

Independant Upstand

Scale:
NTS

Drawn:
W.Harding


Date:
07/10/2025

Proteus Cold Melt®



Proteus
WATERPROOFING

- ①  Substrate
- ②  **Pro-Vapour Control/Carrier Membrane SA** adhered with **Pro-Prime® SA** (tissue faced insulation | timber | concrete | asphalt | felt substrates)
- ③  **Pro-Bond Foaming** (adhesive)
- ④  **Proteus Pro-Therm Insulation** (as per specification)
- ⑤  **Cold Melt®**
- ⑥  **Proteus Pro-Cold®** base coat with embedded **Pro-Force 225** reinforcement
- ⑦  **Proteus Pro-Cold®** top coat
- ⑧  **Proteus Pro-Therm Low-K** (separation layer)
- ⑨  **Pro-Living® Drainage Board**
- ⑩  **Pro-Living® Drainage Trim**
- ⑪  **Pro-Living® Filter Fleece**
- ⑫  **Pro-Living® Substrate** (min. 80mm settled depth)
- ⑬  **Pro-Living® Vegetation**
- ⑭  **Gravel ballast** (2000/553/EC compliant)



Proteus Waterproofing Ltd.

21a Sirdar Road,
Brook Road Industrial Estate,
Rayleigh, Essex, SS6 7XF

Tel: +44 (0)1268 777871

W: www.proteuswaterproofing.co.uk

E: office@proteuswaterproofing.co.uk

All components are to be prepared
and installed in strict accordance with
Proteus Project Specification

Notes :

This drawing is solely intended to illustrate the correct application of Proteus Waterproofing Ltd's products and systems. All other elements bearing reference to structural and/or thermal design within the detail are shown indicatively and should not be used in whole or part for any aspect of project design without consulting the relevant authorities.

For refurbishment projects, all aspects of the existing roof are deemed to be fully compliant with BS 6229 (Code of practice for flat roofs with continuously supported coverings) or improved upon for instances where these standards are not met.

© This drawing is the copyright of Proteus Waterproofing Ltd.

Drawing No:
SD_CM_BUR_25

Roof Type:
BUR

Description:

Hybrid Upstand

Scale:
NTS


Drawn:
W.Harding

Date:
07/10/2025

Proteus Cold Melt®



- ①  Substrate
- ②  Metal Flashing (by others)
- ③  **Pro-Vapour Control/Carrier Membrane SA** adhered with **Pro-Prime® SA** (tissue faced insulation | timber | concrete | asphalt | felt substrates)
- ④  **Pro-Bond Foaming** (adhesive)
- ⑤  **Proteus Pro-Therm Insulation** (as per specification)
- ⑥  **Cold Melt®**
- ⑦  **Cold Melt® UV Top** (all exposed areas)
- ⑧  Metal Flashing (by others)
- ⑨  **Proteus Sealant**
- ⑩  **Proteus Pro-Therm Low-K** (separation layer)
- ⑪  **Pro-Living® Drainage Board**
- ⑫  **Pro-Living® Drainage Trim**
- ⑬  **Pro-Living® Filter Fleece**
- ⑭  **Pro-Living® Substrate** (min. 80mm settled depth)
- ⑮  **Pro-Living® Vegetation**
- ⑯  **Gravel ballast** (2000/553/EC compliant)



Proteus Waterproofing Ltd.

21a Sirdar Road,
Brook Road Industrial Estate,
Rayleigh, Essex, SS6 7XF

Tel: +44 (0)1268 777871

W: www.proteuswaterproofing.co.uk

E: office@proteuswaterproofing.co.uk

All components are to be prepared
and installed in strict accordance with
Proteus Project Specification

Notes :

This drawing is solely intended to illustrate the correct application of Proteus Waterproofing Ltd's products and systems. All other elements bearing reference to structural and/or thermal design within the detail are shown indicatively and should not be used in whole or part for any aspect of project design without consulting the relevant authorities.

For refurbishment projects, all aspects of the existing roof are deemed to be fully compliant with BS 6229 (Code of practice for flat roofs with continuously supported coverings) or improved upon for instances where these standards are not met.

© This drawing is the copyright of Proteus Waterproofing Ltd.

Drawing No:
SD_CM_BUR_26

Roof Type:
BUR

Description:

Cavity Tray

Scale:
NTS


Drawn:
W.Harding

Date:
07/10/2025

Proteus Cold Melt®



- ①  Substrate
- ②  **Pro-Vapour Control/Carrier Membrane SA** adhered with **Pro-Prime® SA** (tissue faced insulation | timber | concrete | asphalt | felt substrates)
- ③  **Pro-Bond Foaming** (adhesive)
- ④  **Proteus Pro-Therm Insulation** (as per specification)
- ⑤  **Cold Melt®**
- ⑥  **Cold Melt® UV Top** (all exposed areas)
- ⑦  Jubilee Clip (by others)
- ⑧  **Pro-Living® Drainage Board**
- ⑨  **Pro-Living® Drainage Trim**
- ⑩  **Pro-Living® Filter Fleece**
- ⑪  **Pro-Living® Substrate** (min. 80mm settled depth)
- ⑫  **Pro-Living® Vegetation**
- ⑬  **Gravel ballast** (2000/553/EC compliant)



Proteus Waterproofing Ltd.

21a Sirdar Road,
Brook Road Industrial Estate,
Rayleigh, Essex, SS6 7XF

Tel: +44 (0)1268 777871

W: www.proteuswaterproofing.co.uk

E: office@proteuswaterproofing.co.uk

All components are to be prepared
and installed in strict accordance with
Proteus Project Specification

Notes :

This drawing is solely intended to illustrate the correct application of Proteus Waterproofing Ltd's products and systems. All other elements bearing reference to structural and/or thermal design within the detail are shown indicatively and should not be used in whole or part for any aspect of project design without consulting the relevant authorities.

For refurbishment projects, all aspects of the existing roof are deemed to be fully compliant with BS 6229 (Code of practice for flat roofs with continuously supported coverings) or improved upon for instances where these standards are not met.

© This drawing is the copyright of Proteus Waterproofing Ltd.

Drawing No: SD_CM_BUR_27		Roof Type: BUR
Description: Fall Arrest System		
Scale: NTS	Drawn: W.Harding	Date: 07/10/2025

Proteus Cold Melt®

